

ENERGY ESTIMATION OF AGASA EVENTS

M. Chikawa (2), M. Fukushima (1), N. Hayashida (1), K. Honda (3), N. Inoue (4), K. Kadota (5), F. Kakimoto (5), S. Kakizawa (6), K. Kamata (7), S. Kawaguchi (8), S. Kawakami (9), Y. Kawasaki (10), N. Kawasumi (11), E. Ku-sano (12), A. M. Mahrous (4), K. Mase (1), T. Minagawa (1), Y. Morizane (2), M. Nagano (13), H. Ohoka (1), S. Osone (1), **N. Sakaki** (10), M. Sasaki (1), M. Sasano (14), K. Shinozaki (4), M. Takeda (1), M. Teshima (1), R. Torii (1), I. Tsushima (11), Y. Uchihori (15), T. Yamamoto (1), K. Yasui (2), S. Yoshida (1), H. Yoshii (16) and T. Yoshikoshi (9)

(1) Institute for Cosmic Ray Research, University of Tokyo, Chiba 277-8582, Japan, (2) Department of Physics, Kinki University, Osaka 577-8502, Japan, (3) Faculty of Engineering, Yamanashi University, Kofu 400-8511, Japan, (4) Department of Physics, Saitama University, Urawa 338-8570, Japan, (5) Department of Physics, Tokyo Institute of Technology, Tokyo 152-8551, Japan, (6) Faculty of Science, Shinshu University, Matsumoto 390-8621, Japan, (7) Nishina Memorial Foundation, Komagome, Tokyo 113-0021, Japan, (8) Faculty of Science and Technology, Hirosaki University, Hirosaki 036-8561, Japan, (9) Department of Physics, Osaka City University, Osaka 558-8585, Japan, (10) RIKEN (The Institute of Physical and Chemical Research), Saitama 351-0198, Japan, (11) Faculty of Education, Yamanashi University, Kofu 400-8510, Japan, (12) KEK, High Energy Accelerator Research Organization, Institute of Particle and Nuclear Studies, Tsukuba 305-0801, Japan, (13) Department of Applied Physics and Chemistry, Fukui University of Technology, Fukui 910-8505, Japan, (14) Communications Research Laboratory, Ministry of Posts and Telecommunications, Tokyo 184-8795, Japan, (15) National Institute of Radiological Sciences, Chiba 263-8555, Japan, (16) Department of Physics, Ehime University, Matsuyama 790-8577, Japan.

sakaki@icrr.u-tokyo.ac.jp

We have observed ~ 10 air showers above 10^{20} eV with Akeno Giant Air Shower Array (AGASA). It is important to know their energy determination error in discussing the origin of highest energy cosmic rays based on existence/absence of GZK cutoff, spectral shape of super GZK events and so on. In this paper, energy estimation method of AGASA events is described and the error in the energy estimation at energies greater than 10^{20} eV will be discussed by comparing with simulation results.