

## **INTEGRAL observations of the supernova remnant HESS J1813-178**

R. Terrier<sup>a</sup>, M. Renaud<sup>b,a</sup>, F. Lebrun<sup>b,a</sup>, A. Lemière<sup>a</sup>, A. Djannati-Ataï<sup>a</sup>,

(a) Astroparticule et Cosmologie, UMR 7164 11 place Marcelin Berthelot, Paris, France

(b) Service d'Astrophysique, DAPNIA, CEA/Saclay, Gif/Yvette, France

Presenter: R. Terrier (rterrier@in2p3.fr), fra-terrier-R-abs1-og22-poster

HESS J1813-178 is a very high energy source detected during the HESS galactic plane survey. It is bright and slightly extended (4' radius). It is located on the edge of the W33 star forming region. A radio shell coincident with HESS J1813-178 has been detected by Brogan et al. (2005) as well as an absorbed X-ray source in ASCA data. This suggests that the underlying object is a supernova remnant. INTEGRAL has surveyed this region during its Core Program Galactic Center Deep Exposure (GCDE) conducted during the first 2 years of observations. Using ISGRI, the low energy camera of the IBIS imager, we have detected a source spatially coincident with HESS J1813-178 above 15 keV. We present the source flux, spectrum and variability and discuss the implications regarding the SNR interpretation.