



New Companions for the lonely Crab? VHE emission from young pulsar wind nebulae revealed by H.E.S.S.

A. DJANNATI-ATAÏ¹, O.C. DE JAGER², Y.A. GALLANT³, R. TERRIER¹, S. HOPPE⁴ & A. LEMIÈRE⁵
FOR THE H.E.S.S. COLLABORATION⁶

¹ *APC (CNRS, Université Paris VII, CEA, Observatoire de Paris), Paris, France*

² *Unit for Space Physics, North-West University, Potchefstroom 2520, South Africa*

³ *LPTA, Université Montpellier 2, IN2P3/CNRS, Montpellier, France*

⁴ *Max-Planck-Institut für Kernphysik, PO box 103980, D69029 Heidelberg, Germany*

⁵ *Harvard-Smithsonian Center for Astrophysics, 60 Garden street, Cambridge, MA 02138*

⁶ *www.mpi-hd.mpg.de/HESS*

djannati@apc.univ-paris7.fr

Abstract: The deeper and more extended scan of the central parts of the Galactic Plane by H.E.S.S. during 2005 and 2006 has revealed a number of new point-like as well as extended sources. We will present and discuss cases where the VHE emission detected by H.E.S.S. can be associated with pulsar wind nebulae around young pulsars in our Galaxy.

Results will be given in the post-conference version of the proceedings.