
ITEM_CMNTS (#)
* CMNT_NO
* CMNT_DATE
* LAST_MOD
o CMNT_TEXT
* SER_NO
* INITLS
ITEM_CMNT_PERSON_FK
WEB_LINK_TEST_FK
PERSONS (#)
* INITLS
* SURNAME
* LAST_MOD
o FSTNAME
o EMAIL
o PHONE
o FAX
o URL
* LOCN_NAME
TEST_PERSON_FK
ITEM_PERSON_FK
SHIP_PERSON_SE
SHIP_PERSON_FK
SHIP_ITEM_SHIP_FK
WEB_LINKS (#)
* WEB_LINK_ID
* WEB_LINK_DESC
* URL
* LAST_MOD
* TEST_NO
DEFECT_DESCRIPT (#)
* DEFECT_NAME
* DEFECT_DESCR
* LAST_MOD
TEST_TEST_DESCR_FK
PERSON_LOCN_FK
DEFECT_DEFCT_DESC_FK
DEFECTS (#)
* DEFECT_NAME
* TEST_NO
* CHAN_1ST
* CHAN_LAST
* LAST_MOD
o URL
SHIP_LOCN
SHIP_LOCN_REC
STOCKS (#)
* LOCN_NAME
* SER_NO
* LAST_MOD
* QTY
STOCK_LOCN_FK
STOCK_ITEM_FK


TEST_RAWDATA (#)
* TEST_NO
* RAW_DATA
* LAST_MOD
ITEM_PROCESSES_FK
TST_DATA_TEST_FK
T_BDB_TEST_FK
TEST_CMNT_TEST_FK
ITEM_CMNT_ITEM_FK
TEST_LIST (#)
* CTYPE
* TEST_NAME
* LAST_MOD
TEST_LIST_ITEM_DESCR_FK
TEST_ITEM_FK
TEST_CMNTS (#)
* CMNT_NO
* CMNT_TEXT
* LAST_MOD
* TEST_NO
SHIP_ITEM_ITEM_FK
TEST_LIST_TEST_DESCR_FK
ITEMS (#)
* PROC_NAME
# * SER_NO
* CTYPE
* INITLS
* LOCN_NAME
* MFR
* ENTRY_DATE
* LAST_MOD
* ASSEMBLED
* PASSED
o MFR_SER_NO
o RECEIPT_DATE
ITEM_ITEM_DESCR_FK
TEST_LOCN_FK
ITEM_LOCN_FK
MFRS (#)
* MFR
* LAST_MOD
o ADDRESS
o URL


PROCESSES (#)
* PROC_NAME
* PROC_DESCR
* LAST_MOD
o URL
* CTYPE
* NEXT_PROC
ITEM_DESCR (#)
* CTYPE
* NO_COMPS
* ONCE
* DESCRIPTION
* LAST_MOD
o URL
TEST_LIMITS (#)
* TEST_NAME
* CTYPE
* PARM_NAME
* UPPER_WARN
* LOWER_WARN
* UPPER_REJECT
* LOWER_REJECT
* LAST_MOD
ASSM_DESCR (#)
* CTYPE
* ASSM_CTYPE
* POSN
* POSN_DESCR
* LAST_MOD